



Test Results

XSS Heuristic Test Results

	;	\	/	<	>	"	'	=
addAdministratorForm::id								
addAdministratorForm::login								
addAdministratorForm::password								
addAdministratorForm::email								
addAdministratorForm::name								
addAdministratorForm::surname								
addAdministratorForm::tenantName								
addAdministratorForm::commit								

The character was found unencoded in the result page.

The character was not found unencoded in the result page.

XSS String Tests Summary (90 tests executed)

Failures:	8
Warnings:	0
Passes:	82

XSS String Test Results

id

Submitted Form State:

login:
password:
email:
name:
surname:
tenantName: AGH
commit: Add

Results:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <<SCRIPT>document.vulnerable=true;//</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

login

Submitted Form State:

id:

password:

email:
name:
surname:
tenantName: AGH
commit: Add

Results:

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <BODY onload!#\$%&()*~+-_.,:;?@[/\]^`=document.vulnerable=true;>

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value:

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value:

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

DOM was modified by attack string. Field appears to be very vulnerable to XSS String.
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <BODY onload!#\$%&()*~+-_.,:;?@[/\]^`=document.vulnerable=true;>

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.

Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <meta http-equiv="refresh" content="0; url=javascript:document.vulnerable=true;">

email

Submitted Form State:

id:
login:
password:
name:
surname:
tenantName: AGH
commit: Add

Results:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

name

Submitted Form State:

id:
login:
password:
email:
surname:
tenantName: AGH
commit: Add

Results:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

The unencoded attack string was not found in the html of the document.

Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

The unencoded attack string was not found in the html of the document.
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

surname

Submitted Form State:

id:
login:
password:
email:
name:
tenantName: AGH
commit: Add

Results:

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

The unencoded attack string was not found in the html of the document.
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <BODY onload!#\$%&()*~+-_.,:;? @[/\]^`=document.vulnerable=true;>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <<SCRIPT>document.vulnerable=true;//<</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

The unencoded attack string was not found in the html of the document.
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

The unencoded attack string was not found in the html of the document.
Tested value: <SCRIPT>document.vulnerable=true;</SCRIPT>

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value:

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <meta http-equiv="refresh" content="0;
url=javascript:document.vulnerable=true;">

DOM was not modified by attack string. Field does not appear vulnerable to XSS String
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.
Tested value: <META HTTP-EQUIV="Set-Cookie" Content="USERID=
<SCRIPT>document.vulnerable=true</SCRIPT>">

The unencoded attack string was not found in the html of the document.

Tested value: <meta http-equiv="refresh" content="0; url=javascript:document.vulnerable=true;">

Results generated on June 9, 2013 for http://bp_client.cloudfoundry.com/administrator/add